★ PERFECLITE ★

A. I. A. 31-F-23

Commercial Lighting Equipment

Catalog No. 21

E. R. BEERS ELECTRIC COMPANY

BLOOMSBURG, PENNSYLVANIA

The Perfeclite Company

Cleveland, Ohio

Catalog No. 21

May 1940



No. RF 424

TOTAL INDIRECT UNIT

Fixture No.	RF 424	RF 425	RF 426
Bowl Diam. A	15″	17¾″	22″
Bowl Depth B	5¼″	6¼″	8⅛″
Wattage	200	300-500	750-1000
Code	GOVE	GAUL	GABOR

Standard Finish—Satin Chrome and Satin Aluminum.

Inside of Reflector—ALZAK finished.

With wire and socket of proper capacity; ⅝″ diameter, heavy wall casing; swivel joint.

Reflector made of heavy gauge aluminum.



No. L 7020

SEMI-INDIRECT UNIT

Fixture No.	L 7020	L 7020M	L 7021
Bowl Diam.	15¼″	18¼″	22¼″
Length	36″	36″	42″
Wattage	150-200	300-500	750-1000
Code	OMSK	OGLE	OSTEND

Standard Finish—Satin Chrome and Satin Aluminum.

Inside of Reflector—ALZAK finished.

With wire and socket of proper capacity; ⅝″ diameter, heavy wall casing; swivel joint.

Refector made of heavy gauge aluminum.



No. 4244A

TOTAL INDIRECT UNIT

Fixture No.	4244A	4244B	4244C
Bowl Diam.	14″	19″	26″
Bowl Depth	5¼″	6¼″	8⅛″
Reflector Diam.	9½″	17″	23″
Wattage	200	300-500	750-1000
Code	INDO	INDUS	INDAT

Standard Finish—Ivory or White Enamel.
Other Finishes—According to specifications, at additional cost.
Separate Reflector—ALZAK Finish.
With wire and socket of proper capacity; ⅝″ diameter, heavy wall casing; swivel joint.



No. 665B

SEMI-INDIRECT UNIT

Fixture No.	665A	665B	665C
Bowl Diam.	16″	18″	22″
Bowl Depth	5⅜″	6″	7⅜″
Wattage	200	300-500	750-1000
Code	STALE	STERLING	STEED

Standard Finish—Satin Chrome.

With wire and socket of proper capacity; ⅝″ diameter, heavy wall casing; swivel joint.

Equipped with "ONLI" Safety Screwless Holder

No. 6608

No.	Watts	Length Over All	Type Socket	Std. Pkge.	Globe	Code
6608	60	42″	Med.	12	8 x 4	TEENY
6610	100	42″	Med.	12	10 x 4	TEMPLE
6611	150	42″	Med.	12	12 x 4	TETRA
6612	150	42″	Med.	12	12 x 4	TENDON
6614	200	44″	Med.	12	14 x 4	TEEPEE
6616	200	46″	Med.	12	16 x 6	TERRA
6616M	300	46″	Mogul	12	16 x 6	TETHER

Standard Finish—Satin Statuary Bronze.
Canopy 5⅜″ diam. Equipped with strap, screws and thumb knobs. Complete with porcelain socket and asbestos covered wire. Standard length of pendant 36″ over all without globe.

Built to underwriters requirements. Labels furnished on request without extra cost.



No. 0608

No.	Watts	Type Socket	Std. Pkg.	Globe	Code
0608	60	Med.	24	8 x 4	TABBY
0610	100	Med.	24	10 x 4	TACIT
0611	150	Med.	24	12 x 4	TANAGER
0612	150	Med.	24	12 x 6	TAD
0614	200	Med.	24	14 x 6	TAGUS
0616	200	Med.	24	16 x 6	TALON
0616M	300	Mogul	24	16 x 6	TAMP

Standard Finish—Satin Statuary Bronze.
Canopy of Nos. 0608, 10 and 11 is 5⅜″ diam. and 1⅛″ length over all. Canopy of Nos. 0612, 14, 16 and 16M is 6½″ diam. and 1⅞″ length over all. Complete with porcelain receptacle with wire leads, strap with screws and thumb knobs.

BRASS

SAFE T UNIT

COMMERCIAL LIGHTING

For prices on holders only see page 6.
Glassware—page 21.

Equipped with "ONLI" Safety Screwless Holder



No. 6708

No.	Watts	Length Over All	Type Socket	Std. Pkg.	Globe	Code
6708	60	30″	Med.	10	8 x 4	TAPPIT
6710	100	30″	Med.	10	10 x 4	TAPP
6711	100	30″	Med.	10	10 x 6	TAPLON
6712	150	30″	Med.	10	12 x 6	TULL
6714	200	32″	Med.	10	14 x 6	TULMER
6716	200	32″	Med.	10	16 x 6	TOPPER
6716M	300	32″	Mogul	10	16 x 6	TOPLE

Standard Finish—Satin Statnary Bronze.
Canopy 5⅜″ diam. Equipped with strap, screws and thumb knobs. Complete with porcelain socket and asbestos covered wire. Standard length Rod pendant 30″ over all without globe.

CEILING UNIT



No. 9104-22

Fixture No.	Fitter	Socket	Standard Package	Code
9104-22	4″	Med.	24	BLATT
9106-22	6″	Med.	24	BLOND
9106M-22	6″	Mogul	24	BLANE
9108C-22	8″	Mogul	12	BATTER

Standard Finish—Satin Statuary Bronze.

Complete with wire and socket of proper capacity; strap screws, thumb knobs and "ONLI" Safety Screwless Holder. Canopy on 4″ holder 5⅜″ x 4⅛″ deep. Canopy on 6″ holder 6½ wide x 4⅞″ deep.

Chrome Finish—See price List.

CHAIN PENDANT

No. 1008A

No.	Fitter	Socket	Std. Length	Std. Package	Code
1008B	4″	Med.	36″	24	TENUTO
1008A	6″	Med.	36″	24	YELP
1008AM	6″	Mogul	36″	24	TIPPLE
1008C	8″	Mogul	36″	12	TAIWAN

Standard Finish—Satin Statuary Bronze.

Complete with 5¾″ diam. x 3¾″ Deep Slip type Canopy. Stem 2¼″ x 1″ x ¼″ Chain. Loop and "ONLI" Safety Screwless Holder.

Chrome Finish—See Price List.

Built to underwriters requirements. Labels furnished on request without additional cost.

Equipped with "ONLI" Safety Screwless Holder

Made of 22 B. & S. Gauge BRASS

ROD PENDANT



No. 1020A

Fixture No.	Fitter	Socket	Std. Length	Std. Package	Code
1020B	4″	Med.	24″	10	TREATY
1020A	6″	Med.	24″	10	TRELLIS
1020AM	6″	Mogul	24″	10	TOLE
1020C	8″	Mogul	24″	10	TAIPO

Standard Finish—Satin Statuary Bronze.

Complete with 5¾″ x 3¾″ Deep Canopy. Hickey, Running Thread Nipple, Swivel Joint with Screw Collar to hold Canopy in place. Rod made of ¾″ O. D. Brass Casing and ⅜″ Iron Pipe and "ONLI" Safety Screwless Holder.

Chrome Finish—See Price List.

Made of BRASS

ROD PENDANT



No. 1124

CEILING TYPE



No. 9104

Equipped with STAR SAFETY HOLDER

CHAIN PENDANT

No. 9164

Fixture No.	Fitter	Socket	Std. Package	Code
9104	4″	Med.	24	SIRIUS
9106	6″	Med.	24	STELLA
9106M	6″	Mogul	24	STEAM

Standard Finish—Satin Statuary Bronze.

Canopy of No. 9104 is 5⅜″ diam. and 4⅛″ length over all.

Canopy of No. 9106 and 9106-M is 6½″ diam. and 4⅞″ length over all.

Complete with porcelain receptacle with wire leads and strap screws and thumb knobs.

Chrome Finish—See Price List.

Star SAFETY HANGER

An inexpensive but Practical Safety Screwless Unit

Fixture No.	Fitter	Socket	Std. Length	Std. Package	Code
1124	4″	Med.	24″	10	NEITH
1126	6″	Med.	24″	10	NEKODE
1126M	6″	Mogul	24″	10	NEGATE

Standard Finish—Satin Statuary Bronze.

Canopy 5⅜″ diam., rod made of ½″ O. D. heavy wall tubing. "Star" Safety Screwless Holder and porcelain socket with wire.

Chrome Finish—See Price List.

Fixture No.	Socket	Std. Length	Std. Package	Code
9164	Med.	36″	24	SATURN
9166	Med.	36″	24	STARLING
9166M	Mogul	36″	24	STOKE

Standard Finish—Satin Statuary Bronze.

Canopy 5⅜″ diam. Equipped with strap, screws and thumb knobs. Complete with porcelain socket and asbestos covered wire. Chain made of steel heavily copper plated.

Chrome Finish—See Price List.

Built to underwriters requirements. Labels furnished on request without additional cost.

Screw Type Commercial Line

SWIVEL STEM STYLE



Nos. 2175 to 2177-M

CEILING TYPE



No. 1174 to 1176-M

Fixture No.	Fitter	Socket	Std. Package	Code
1174	4″	Med.	24	WIDNES
1176	6″	Med.	24	WIKE
1176M	6″	Mogul	24	COBRA

Standard Finish—Satin Statuary Bronze.

Complete with porcelain recept. wire leads and strap, screws and thumb knobs. No. 1174 canopy is 5⅜″ diam. and 4″ depth over all. Nos. 1176 and 1176M canopy is 6½″ diam. and 5″ depth over all.

SLIP CANOPY STYLE

Nos. 1164 to 1174-M

STRAP CANOPY STYLE



Nos. 1184 to 1186-M

Fixture No.	Fitter	Sts. Package	Socket	Sts. Length	Code
2175	4″	10	Med.	24″	COSTA
2177	6″	10	Med.	24″	CALICO
2177M	6″	10	Mogul	24″	CAVE

Standard Finish—Satin Statuary Bronze.

Complete with 4⅝″ diam. canopy, swivel, ½″ O. D. heavy wall tubing and screw type holder. Fixtures are supplied with approved wire of proper capacity and porcelain socket. All Rod Pendants are shipped stem unattached.

Fixture No.	Fitter	Sts. Package	Socket	Sts. Length	Code
1164	4″	24	Med.	36″	WAMBA
1166	6″	24	Med.	36″	WAMPLE
1166M	6″	24	Mogul	36″	CASTO
1184	4″	24	Med.	36″	WARAN
1186	6″	24	Med.	36″	WAROK
1186M	6″	24	Mogul	36″	CALLOW

Complete with 5¾″ diam. x 3¾″ deep canopy, slip stem, chain, and screw type holder with loop. Fixtures are supplied with approved wire of proper capacity and porcelain socket.

Standard Finish—Satin Statuary Bronze.

Built to underwriters requirements. Labels furnished on request without additional cost.

Universal Inside Grip Safety Holder made of 22 Guage Brass

No. 74, 76, 76M



CEILING UNIT

No.	Fitter	Socket	Std. Pkg.	Code
74	4″	Med.	24	UHLAN
76	6″	Med.	24	UKASE
76-M	6″	Mogul	24	ULSTER

Standard Finish—Satin Statuary Bronze.

Complete with socket and approved wire, strap with screws and thumb knobs. Canopy is 6⅞″ diam. Overall height of No. 74 is 5¼″, Nos. 76 and 76-M 6¼″. Knockout in canopy for switch.

Built to underwriters requirements.

Labels furnished on request without additional cost.



No. 4718-A

No.	Fitter	Socket	Std. Pkg.	Weight	Code
4718-A	6″	Med.	24	60 lbs.	BRADE
4718-AM	6″	Mogul	24	65 lbs.	BROLA
4718-B	4″	Med.	24	52 lbs.	BARDY

Standard Finish—Satin Statuary Bronze. Length 36″ O.A.

Complete with socket and approved wire. Canopy is 5⅜″ diam., and has knockout for switch.

No.	Fitter	Socket	Std. Pkg.	Weight	Code
4721-A	4″	Med.	10	28 lbs.	EDARB
4721-AM	6″	Med.	10	33 lbs.	ALORB
4721-B	6″	Mogul	10	24 lbs.	IDRAB

Standard Finish—Satin Statuary Bronze. Length 30″ O.A.

Complete with socket and approved wire, swivel with screw collar to hold canopy in place. Hickey with running thread nipple; Universal safety screwless holder; 5⅝″ diam., canopy, and rod made of ⅝″ heavy wall tubing. Knockout in canopy for switch.

No. 4721-B

← Mechanical view showing simplicity of construction and operation of the Perfeclite Patented Universal Safety Screwless Holder.

U. S. Patent granted June 24th, 1930.

CHAIN PENDANT



CEILING UNIT

Nos. 9281 to 9286-M

Fixture No.	Fitter	Socket	Standard Package	Code	List Wired
9281	1″	Medium	21	ASTRAL	$1.35
9286	6″	Medium	21	ARBOW	1.50
9286-M	6″	Mogul	21	AROMA	2.25

Standard Finish—Satin Statuary Bronze.

Complete with porcelain receptacle with wire leads and strap with screws and thumb knobs. Knockout in canopy for switch.

Canopy of No. 9281 is $5^3/_8$″ diam. and $1^1/_4$″ length over all. Canopy of No. 9286 and 9286-M is $6^3/_8$″ diam. and $5^3/_4$″ length over all.

For Polished or Satin Chrome Finish add $0.36 to the above prices.

ROD PENDANT



Nos. 9291 to 9296-M

Fixture No.	Fitter	Socket	Std. Pkg.	Std. Lgth.	Code	List Wired
9291	1″	Medium	21	36	ASHLAB	$1.65
9296	6″	Medium	21	36	ASPECT	1.80
9296-M	6″	Mogul	21	36	AURA	2.10

Standard Finish—Satin Statuary Bronze.

Complete with $5^3/_8$″ diam. x $2^1/_4$″ deep canopy equipped with strap, screws and thumb knobs, "STAB" Safety Screwless Holder, chain and loops. Fixtures are supplied with porcelain socket and approved wire of proper capacity. Knockout in canopy for switch.

For Polished or Satin Chrome Finish add $0.75 to the above prices.

MECHANICAL VIEW SHOWING THE SIMPLICITY OF OPERATION

Easy to Operate

Positive Grip

Simple in Operation—The illustration shows how the gravity clips swing out before ring is placed over them. Clips on the left (nearest hand) are shown in engaged position when locking ring drops in place. TWO simple operations, requiring five seconds to remove or install any globe.

The "Star Safety Hanger" for commercial lighting globes is manufactured under the famous "ONLI" Safety Screwless Holder patents.

Nos. 2171 to 2176-M

Fixture No.	Fitter	Socket	Std. Pkg.	Std. Lgth.	Code	List Wired
2171	1″	Medium	10	21″	NAYT	$3.15
2176	6″	Medium	10	21″	NEANIC	3.30
2176-M	6″	Mogul	10	21″	NEBALIA	3.75

Standard Finish—Satin Statuary Bronze.

Complete with $5^3/_8$″ x $2^1/_4$″ diam. deep canopy, swivel, $^1/_2$″ O. D. heavy wall tubing, "STAR" Safety Screwless Holder. Fixtures are supplied with porcelain socket and approved wire of proper capacity.

All Rod Pendants are shipped stem unattached.

For Polished or Satin Chrome Finish add $0.90 to the above prices.

Built to Underwriters requirements. Labels furnished on request without additional cost.

DOUBLE SAFETY INSIDE GRIP

SCREWLESS HOLDER



Nos. 521 to 522-M
531 to 523-M

MADE OF COPPERED STEEL

Fixture No.	Fitter	Socket	Standard Package	Code	List Wired
521	1″	Medium	10	UBAT	$3.30
522	6″	Medium	10	UBIN	3.15
522-M	6″	Mogul	10	UBIZ	3.90

MADE OF 22 GAUGE BRASS

531	1″	Medium	10	UCAN	$1.05
532	6″	Medium	10	UCOB	1.05
532-M	6″	Mogul	10	UCED	5.01

Standard Finish Satin Statuary Bronze.

Standard Length 21″ O. A.

Complete with $5^3/_8$″ diam. x $2^1/_4$″ deep canopy, swivel, $^5/_8$″ O. D. heavy wall tubing, "NEW DOUBLE SAFETY" Screwless Holder. Fixtures are supplied with porcelain socket and approved wire of proper capacity. All Bod Pendants are shipped stem unattached.

For Polished or Satin Chrome Finish add $0.90 to the above prices.



Nos. 523 to 524-M
533 to 531-M

MADE OF COPPERED STEEL

Fixture No.	Fitter	Socket	Standard Package	Code	List Wired
523	1″	Medium	21	UDAR	$1.50
521	6″	Medium	21	UDIT	1.65
521-M	6″	Mogul	21	UDUM	2.10

MADE OF 22 GAUGE BRASS

533	1″	Medium	21	UFAN	$2.13
531	6″	Medium	21	UFEL	2.19
531-M	6″	Mogul	21	UFIN	3.21

Standard Finish—Satin Statuary Bronze.

Complete with porcelain receptacle with wire leads and strap with screws and thumb knobs. Knockout in canopy for switch.

Canopies of Nos. 523 and 533 are $5^3/_8$″ diam. x $5^1/_4$″ length overall.

Canopies of Nos. 521, 521-M, 531 and 534-M are $6^3/_8$″ diam. x 6″ length overall.

For Polished or Satin Chrome Finishes add $0.51 to the above prices.



Mechanical View of Double Safety Inside Grip Screwless Holder.



1—Three-Finger "Inside-Grip" Safety Screwless Holder supports the globe from the inside.
2—Holder housing fits over the shoulder of the globe, and is held securely in place by the threaded ring 1. This is the DOUBLE SAFETY FEATURE. The fixture may even be turned upside down with the globe in it and same can't fall out.
3—Threaded fitting swaged into holder.
4—Threaded ring locks the holder housing over the shoulder of the globe, thereby holding it positively in place.
5—Porcelain Socket rigidly mounted, cannot turn when inserting or removing lamp.
6—When holder housing or locking is lifted for cleaning or relamping, the globe retains its position on the "Inside-Grip" fingers until removed. Patented mechanical features for both chain and rod pendants.

Nos. 525 to 526-M
535 to 536-M

MADE OF COPPERED STEEL

Fixture No.	Fitter	Socket	Standard Package	Code	List Wired
525	1″	Medium	21	UGAR	$1.89
526	6″	Medium	21	UGAM	1.95
526-M	6″	Mogul	21	UGAT	2.10

MADE OF 22 GAUGE BRASS

535	1″	Medium	21	USUM	$2.79
536	6″	Medium	21	USET	2.85
536-M	6″	Mogul	21	USOB	3.75

Standard Finish—Satin Statuary Bronze.

Standard Length—36″ O. A.

Complete with $5^3/_8$″ diam. x $2^1/_4$″ deep canopy, slip stem, chain, loop with threaded collar. "NEW DOUBLE-SAFETY Screwless Holder and porcelain socket with approved wire of proper capacity.

For Polished or Satin Chrome Finish add $0.75 to the above prices.

Built to underwriters requirements. Labels furnished on request without additional cost.

Patented. All infringements will be prosecuted.

No. 161

No. 9271

CEILING UNITS

No. 171-176M

Fixture No.	Fitter	Socket	Std. Pkg.	Code
171	4″	Med.	24	ZANTE
176	6″	Med.	24	ZAPOS
176M	6″	Mogul	24	CARLOS

Standard Finish—Satin Statuary Bronze.

Complete with strap, screws and thumb knobs. No. 171 canopy is $5^3/_8$″ diam. and 4″ depth over all. Nos. 1176 and 1176-M canopy is $6^1/_2$″ diam. and 5″ depth over all. Fixtures are supplied with approved wire of proper capacity and porcelain socket.

CHAIN PENDANT WITH SLIP STEM CANOPY

Fixture No.	Fitter	Socket	Std. Package	Sta. Length	Code
161	4	Med.	24	36″	ZAAB
166	6″	Med.	24	36″	ZABIL
166-M	6″	Mog.	24	36″	CANA

Standard finish—Satin Statuary Bronze.

Packed in individual cartons.

Canopy $5^3/_4$″ diam. x $3^3/_8$″ deep. Screw type 4″ holder is $3^1/_8$″ deep and 6″ holder is 1″ deep. Canopy, stem and holder are made of brass. Fixtures are supplied with porcelain sockets and approved wire of proper capacity. Knock-out in canopy for switch.

CHAIN PENDANT WITH STRAP TYPE CANOPY

Fixture No.	Fitter	Socket	Std. Package	Std. Length	Code
9271	4″	Med.	24	36″	ZABUD
9276	6″	Med.	24	36″	ZACCAR
9276M	6″	Mogul	24	36″	CABANNA

Standard Finish—Satin Statuary Bronze.

Canopy $5^3/_8$″ diam. x $2^1/_4$″ deep. Complete with strap, screws and thumb knobs. Screw type 4″ holder is $3^1/_8$″ deep and 6″ holder is 1″ deep.

Made of BRASS



No. 2121

SEMI-RIGID ROD SWIVEL PENDANT

Fixture No.	Fitter	Socket	Std. Package	Std. Length	Code
2121	4″	Med.	10	24″	GRIT
2126	6″	Med.	10	24	GRILL
2126M	6″	Mogul	10	24″	GRAM

Standard Finish—Satin Statuary Bronze.

Complete with $1^5/_8$″ diam. canopy, swivel, $^1/_2$″ O. D., heavy wall tubing and screw type holder. Fixtures are supplied with porcelain sockets and approved wire of proper capacity. All rod pendants are shipped stem unattached.

Built to underwriters requirements.

Labels furnished on request without additional cost.

Made of 22 B. & S. Gauge BRASS

No. CC-8

No. 961-B

Fixture No.	Fitter	Shade	Std. Package	Code
CC-8	$2^1/_4$″	7″	12	BALE

Standard Finish—Satin Statuary Bronze.

Complete with wire and medium porcelain receptacle, strap screws with thumb knobs and No. 55 Glass Shade.

Fixture No.	Fitter	Shade	Std. Package	Code
961-B	$2^1/_4$″	6″	12	LETHE

Standard Finish—Satin Statuary Bronze.

Complete with wire and medium porcelain receptacle, strap screws with thumb knobs and No. 55 Glass Shade.



No. PE-18

Fixture No.	O. A. Length	Watts	Std. Package	Code
PE-18	$6^1/_2$″	25 to 100	12	VADANTES

Standard Finish—Black.

Complete with outlet box cover, receptacle and removable guard.

No. R-182

No. PB-80

Fixture No.	Fitter	Shade	Std. Package	Code
PB-80	$2^1/_4$″	6″	12	BAKE

Standard Finish—Satin Statuary Bronze.

Complete with wire and medium porcelain receptacle, strap screws with thumb knobs and No. 51 Glass Shade. Canopy $5^1/_8$″ diam., $2^5/_8$″ deep.

Fixture No.	Fitter	Shade	Std. Length	Std. Package	Code
R-182	$2^1/_4$″	7″	30″	12	LEAP

Standard Finish—Satin Statuary Bronze.

Complete with wire and medium keyless socket, and No. 55 Glass Shade.

Fixture No.	Fitter	Shade	Std. Length	Std. Package	Code
C-172	$2^1/_4$″	7″	36″	12	LUMP

Standard Finish—Satin Statuary Bronze.

Complete with wire and brass shell keyless socket and No. 55 Opal Shade.



No. C-172

No. GU-89

Fixture No.	Watts	Overall Diam.	Overall Depth	Code
GU-89	150	12¾″	9¾″	LEVONT
GU-90	200	15½″	11″	LEVITATE
GU-91	300-500	21⅜″	11½″	LIGATORE
GU-92	750-1000	21⅜″	17¾″	LIMAN

Standard Finish—Satin Aluminum.

Complete with a specially designed aluminum reflector, socket of proper capacity, 4″ outlet box and cover, with heat-resisting glass roundel, 2-piece cast bronze frame with integral hinges.



MECHANICAL VIEW OF FLUSH TYPE AND DIMENSIONS

No.	A	D	E
GU-89	9¾″	12¼″	10⅞″
GU-90	11″	15¼″	11⅛″
GU-91	11½″	21½″	19⅞″
GU-92	17¾″	21½″	19⅞″

A—Is height over all including outlet box.

D—Is extreme diameter of frame into which the hinged door fits.

E—Is ceiling cut-out size.

No. DGU-30

Fixture No.	Watts	Overall Diam.	Overall Depth	Code
DGU-30	200	24+—	10½+—	DOVER
DGU-50	300-500	24+—	13½+—	DENNISON

Standard Finish—Battleship gray, with white enamel on guard.

Equipped with guard, white enameled steel reflector, socket, cross bar, expansion bolts, complete as shown ready to install.



DETAILS OF TYPE DGU LAMP HELD INDEPENDENT

The lamp of the DGU unit is protected from all the bumps and shocks of the roughest games by a strong steel housing and a heavy steel guard securely fastened to the ceiling entirely independent of the lamp—making it impossible for the hardest jar to break the filament.

An RLM type reflector aids this unit in providing an efficient light from the greatest of ceiling heights.

PERFECLITE GYM UNITS

Fix. No.	Watts	Globe	Overall Diam.	Overall Depth	Code
GY 75	100-150	10″	14″	$10\frac{1}{4}$″	PRINCE
GY 85	200	12″	17″	$13\frac{1}{4}$″	YALE
GY 20	300	14″	21″	$16\frac{7}{8}$″	HARVARD
GY 30	500	16″	21″	$16\frac{7}{8}$″	CAMB

Standard Finish—Satin Statuary Bronze.

Complete with socket and wire of proper capacity, heavy double cross-bar, expansion bolts for mounting to ceiling. With heavy gauge wire guard, all joints electrically welded to insure an exceptionally rigid guard. Safety chain provided to carry guard when released from fixture to facilitate cleaning and relamping.

Extra heavy metal housing so designed that all jars and impacts have no effect on the light bulb.

THE PERFECT GYM UNIT

REMARKABLE LIGHT REFLECTION



Mechanical View of GY Type Gym Unit

The Perfeclite Holder with its series of individual mirrors that catch and divert downward, the upward rays of light, is especially adapted to use in the gymnasium where it is necessary to place the unit many feet from the floor.

1. Patented Mirror Reflector.
2. **Perfeclite Glass.**
4. Special Ventilation Spacing Bushing.
5. Reflector Clips.
6. Porcelain Mogul Receptacle.
7. Filament of Nitrogen Lamp, showing redirection of upward rays.

CAST BRONZE GYMNASIUM EXIT

No. EX-54,55, 56

Nos. EX-57, 58, 59
Same as Nos. EX-54, 55 and 56, except WITHOUT GUARD

Fixture No.	Letter Size	Code	Fixture No.	Letter Size	Code
EX 54	5″	EXACT	EX 57	5″	EXPARTE
EX 55	6″	EXTERIOR	EX 58	6″	EXSECT
EX 56	7″	EXTREME	EX 59	7″	EXVOTO

Standard Finish - Satin Statuary Bronze.
Complete with wire and two sockets. White letters on red background or white letters on green background. Fired, ceramic permanent colors. This unit may be had either in flush or surface types. Be sure to specify type required. Guard is cast solid to front.

No. W-7120

No. C-7121

Fixture No.	Fitter	Can. Diam.	O. A.	Code
W 7120	3¼	5½″	7½	ENDOW

Standard Finish—Satin Statuary Bronze.
Complete with wire and socket. Red two-sided globe with 3″ black letters. Green globe also available.

Fixture No.	Fitter	Can. Diam.	Extends	Code
C 7121	3¼″	5½	7½	NAUM

Standard Finish—Satin Statuary Bronze.
Complete with wire and socket. Red two-sided globe with 3″ black letters. Green globe with 3″ black letters may be had when so specified.

No. WG-7704 ➠

No. W-7705 ➠

No. WG-7706 ➠

Surface Exit Signs with Guard

Fixture No.	Face Diam.	Wall Diam.	Depth	Code
WG 7704	4½″	7½″	4″	EPIC
W 7705	4½″	7½″	3¾″	ETCH
WG 7706	4″	6½″	3½″	ESTA
W 7708	4″	6½″	3½″	ESSEX

Standard Finish—Satin Statuary Bronze.
Complete with wire, socket, strap, screws and convex face with 4″ red letters on white background. White letters on red background may be had when so specified. Convex face permits vision from a greater angle.

No. W-7711 ➠

CEILING EXIT WITH TWO-SIDED GLOBE



No. W-7710

EXIT BRACKET WITH TRIANGULAR GLOBE

Fixture No.	Fitter	Can. Diam.	Height	Code
W 7710	3¼	5½″	9½″	EVEN

Standard Finish—Satin Statuary Bronze.
Bracket extends 8″ with glass 10¼″ from wall. Complete with wire and keyless socket. Red three-sided globe with 3″ black letters and screw collar fitting to hold canopy. Green globe with black letters may be had when specified.

Fixture No.	Fitter	Can. Diam.	O. A.	Code
P 7711	3¼	7½″	10	ELITE

Standard Finish—Satin Statuary Bronze.
Complete with wire and socket, red three-sided globe, with 3″ black letters. Green globe with 3″ black letters may be had when so specified.

No. PT-7119

DOUBLE FACED PENDANT EXIT

Fixture No.	Face	Depth	Letters	Code
PT-7123-5	6″ x 12″	3″	5″	ERIN
PT-7123-6	7¾″ x 12″	3″	6″	ERIS
PT-7123-8	9½″ x 13″	3″	8″	ERGO

Standard Finish—Satin Statnary Bronze.
Standard Length—21″ over all.
Complete with wire and socket. Glass panels available with red or green letters on white packground or white letters on red or green background. Fired, ceramic permanent colors.

No. P-7719

SURFACE EXIT BOX

Fixture No.	Face	Letters	Depth	Code
P-7119 5	6″ x 12″	5″	3″	ESPY
P-7119 6	7¾″ x 12″	6″	3″	ETNA
P-7119 8	9½″ x 13″	8″	3″	EDEN

Standard Finish—Black.
Listed bare but with two socket attachments. Glass panel with red letters on white background. Glass panel slides in from one end.

No. PS-7724

No. PS-7725

EXITS with Cut-Out Letters

Fixture No.	Face	Letters	Code
PS-7724	7″ x 12″	5″	ENTREE
PS-7725	7″ x 12″	5″	ENTILE

Standard Finish—Satin Statnary Bronze.
Complete with wire and sockets. Ruby glass panel. May be had in either flush or surface type. Type No. PS-7725 extends 1″ from wall, with ruby glass inserts, and reflects a red glow around exit.

All boxes made of 22 gauge galvanized iron. For other gauge boxes write for special price.

No. P-7722

FLUSH EXIT BOX

No. P-7711 H



FLUSH EXIT BOX WITH HINGED DOOR

No. P-7700

FLUSH EXIT BOX WITH GUARD

Fixture No.	Face	Letters	Depth	Code
P-7711H	8″ x 11″	5″	1″	ENBER
P-7722	8″ x 11″	5″	3″	EARL
P-7700	8″ x 11″	5″	3″	ECHO

Standard Finish—Black.
Listed bare but with two socket attachments. Glass panel with 5″ red letters on white background. Front is attached to box with screws. Box that fits into wall. Dimensions 12⅝″ long, 6⅝″ wide and 3⅛″ deep.

No. 110-111

Fixture No.	O. D. Band	O. A. Depth	Bowl Diam.	No. of Sockets	Code
110	8″	4″	8″	2	ATLAS
111	11¼″	4″	10″	2	ABBOB
112	13⅛″	5½″	12″	2	ARCANA
113	15½″	6″	14″	3	ABALINE
114	17½″	6½″	16″	4	ALCOLA

Standard Finish—Satin Chrome.

Complete with wire, sockets, Hickey, Running Thread Nipple, Bottom Knob and Lipless Opal Bowl as specified.



No. SG-112

Fixture No.	O. D. Band	O. A. Length	Glass Fitter Size	O. D. Glass	Bowl No.	Code
SG-112	11	5⅜″	12″	14″	103	LEONID
SG-111	16	6⅛″	11″	15″	107	LEPTOME

Standard Finish—Satin Statuary Bronze.

Complete with wire, sockets, Double Cross-Bar and Shallow Squat Opal Bowl.

No. G-108

Fixture No.	O. D. Band	Band Depth	Glass Fitter Size	Bowl No.	Code
G108	10″	1¾″	8″	101	VAPID
G110	12″	2″	10″	102	VAIL
G112	14″	2″	12″	104	VAIN

Standard Finish— Satin Statuary Bronze.

Complete with wire, sockets, Double Cross-Bar and Shallow Squat Opal Bowl.

No. G208

Fixture No.	O. D. Bowl	Band Depth	Glass Fitter Size	Bowl No.	Code
G208	8¾″	1¼″	8″	116	VALI
G210	12″	2″	10″	117	WADE
G212	14¼″	2¼″	12″	118	WAGE
G211	16½″	2¾″	14″	119	WAKE
G216	19″	3″	16″	119A	WEED

Standard Finish—Satin Statuary Bronze.

Complete with wire, porcelain sockets, Double Cross-Bar, Reflector Disc in top and with Opal Hemisphere Bowl as specified.

No. 964 Beamlight

No. 965 Beamlight

No. 967 Beamlite

BEAM LITE

No. 216

STRAP CANOPY



No. 913

DROP CORD CANOPY



No. 968

Fixture No.	Diameter	Depth	Packed to a Carton	Standard Package	Finish	Code
967	4 7/8"	2 1/4"	20	120	B. T., W. E. or Ivory	GOGH
965	5 3/4"	2 5/8"	3	72	W. E., Ivory, Chrome or Satin Statuary Bronze	JAEL
964	5 3/4"	2"	10	120	S. B., B. T., W. E., or Ivory	JAR

Nos. 964, 965 and 967 furnished with strap and screws.

Fixture No.	Diameter	Depth	Packed to a Carton	Standard Package	Standard Finish	Code
915	5 3/4"	3 3/8"	4	96	S. B. or B. T.	JANU
913	5 3/4"	3 3/8"	4	96	S. B. or B. T.	JAM
911	4 5/8"	2 7/8"	18	108	Brushed Brass; S. B., B. T., or W. E.	JAB
1111	4"	3 1/8"	10	60	Sat. Stat. Bronze	WATEN
1116	6"	3 1/8"	10	60	Sat. Stat. Bronze	WHAUP
968	5 3/4"	2 1/4"	10	120	B. T., W. E. or Ivory	JOSH
218	5 3/4"	3 1/2"	1	48	Ivory Pastelle or B. T.	JAG

Nos. 913, 914, 968, and 218 furnished with strap and screws.

No. 218 also furnished with eyelet for pull chain.

SCREW TYPE HOLDER

No. 1111

SLIP CANOPY

No. 915

MALE NIPPLE CANOPY

No. 914

No. V-60

Fixture No.	Watts	O. D. Diam.	Depth	Code
V-60	2-60W.	$9\frac{3}{4}$"	4"	VALENE

Standard Finish—Black.

Complete with cast bronze $8\frac{1}{2}$" diam. x $1\frac{1}{2}$" deep flush type junction box drilled and tapped to center to take $\frac{1}{2}$" conduit (can be supplied with conduit tapping in side when so specified). Two sockets. Opal Hemisphere Glass, heavy cast hinged guard and rubber gaskets to make vapor proof. Recommended for pipe tunnels, shower rooms and gasoline storage spaces.

Nos. C-10 to C-30

ALL BRONZE
Vapor Proof Units

Nos. C-3 to C-35

Fixture No.	Watts	Globe	Code
C-10	60	6" x $3\frac{1}{4}$"	VACO
C-10X	100	7" x $3\frac{1}{4}$"	VALO
C-20	150	8" x $4\frac{1}{4}$"	VACATE
C-30	200	$9\frac{1}{2}$" x $4\frac{1}{4}$"	BASSO

Standard Finish— Black.

Complete with cast bronze housing tapped for $\frac{1}{2}$" conduit, receptacle, gasket, threaded type clear globe and guard.

Fixture No.	Watts	Globe	Code
C-3	60	6" x $3\frac{1}{4}$	VACANT
C-3-X	100	7" x $3\frac{1}{4}$"	VADAR
C-33	150	8" x $4\frac{1}{4}$"	VACUUM
C-35	200	$9\frac{1}{2}$" x $4\frac{1}{4}$"	CAVIL

Standard Finish— Black.

Complete with cast bronze vapor unit for mounting direct to 4" standard outlet box, receptacle, threaded type clear globe, gaskets and guard.

HOW TO SPECIFY JUNCTION BOX TAPPINGS

A Bottom Tap

B One Side Tap

C Straight Thread Tap

D Angle Tap

E 3-way Tap

F 4-way Tap

CAST BRONZE VAPOR PROOF BRACKET WITH GUARD

Nos. 57G —58G

NOTE—We do not drill holes in units for fastening to outlet boxes due to boxes sometimes being set out of plumb. However, if template is furnished we will drill holes at no additional cost.

Fixture No.	Watts	Extends	Length, O.A.	Code
57G	60	$5\frac{1}{2}''$	10″	VALEVIC
58G	100	$5\frac{1}{2}''$	$10\frac{1}{2}''$	VALETTE

Standard Finish—Black.

Complete with rubber gaskets, sockets, crystal glass globe, threaded-type and brass guard. Opal globe can be supplied at additional cost. See price list. Boxes not supplied unless specially ordered. See price list. For tapping and drilling boxes see price list.

CAST BRONZE VAPOR PROOF BRACKET WITH GUARD

Nos. V-135 V-137

Fixture No.	Watts	Extends	Length O.A.	Code
V-135	60	8″	10″	VALMY
V-136	100	8″	$10\frac{1}{2}''$	VALONIA
V-137	150-200	9″	$11\frac{1}{2}''$	VALPY

Standard Finish—Black.

Complete with rubber gaskets, sockets, crystal glass globe, threaded-type and brass guard. Opal globe can be supplied at additional cost. See price list. Boxes not supplied unless specially ordered. See price list. For tapping and drilling boxes see price list.

No. V-28

CHROME PLATED MOISTURE PROOF BRACKET

Fixture No.	Watts	Extends	Length, O.A.	Code
V-28	60-100	$5\frac{1}{4}''$	$8\frac{1}{4}''$	VALMURE

Standard Finish—Chrome.

Complete with $1\frac{1}{2}''$ diameter cast canopy sockets and threaded opal globe. Not recommended for exterior use.

Nos. V-132-134

ALL BRONZE VAPOR PROOF BRACKET WITH GUARD

Fixture No.	Watts	Extends	Length, O.A.	Code
V-132	60	5″	$12\frac{1}{4}''$	VALIDOL
V-133	100	6″	$12\frac{3}{4}''$	VALDON
V-134	150-200	6″	$13\frac{3}{4}''$	VALBOA

Standard Finish—Black.

Complete with rubber gaskets, sockets, crystal glass globe, threaded-type and brass guard. Opal globe can be supplied at additional cost. See price list. Boxes not supplied unless specially ordered. See price list. For tapping and drilling boxes see price list.

Nos. SC-1 to SC-12

BRONZE VAPOR-PROOF UNIT WITH REFLECTOR

No.	Watts	Reflector	Globe	Code
SC-1	60	12″	6″ x 3¼″	VANDOM
SC-1-X	100	12″	7″ x 3¼″	VEDAM
SC-11	150	11″	8″ x 1¼″	VANDAL
SC-12	200	16″	9½″ x 1¼″	CATTARO

Complete with Vitreous Enamel Reflector, white on inside and green on outside, and Vapor Proof Unit consisting of cast bronze housing tapped for ½″ conduit, receptacle, clear threaded globe and brass guard.

Nos. SC-3 to SC-34 same as SC-1 to SC-12 except for mounting direct to outlet box.

BRONZE VAPOR-PROOF UNIT WITH REFLECTOR

No.	Watts	Reflector	Globe	Code
SC-3	60	12″	6″ x 3¼″	VANITY
SC-3-X	100	12″	7″ x 3¼″	VANIL
SC-33	150	11″	8″ x 1¼″	VANISH
SC-34	200	16″	9½″ x 1¼″	CONGO

The above are similar to Nos. SC-2 to SC-23, except without the cast iron outlet box arranged for mounting direct to 1″ standard outlet box.

No. NVS-21G

MOISTURE PROOF SHOWER UNIT WITH GUARD

Fixture No.	Watts	Length O.A.	O.A. Diam.	Code
NVS-21G	60-100	8¼″	5¼″	VAISYA
NVS-31G	150-200	10¾″	6¼″	VAIRE

Standard Finish—Polished Chrome.

Complete with socket, strap, screws, and thumb knobs for mounting. Opal threaded-type globe.

Nos. C-2 to C-21

BRONZE VAPOR-PROOF UNIT

No.	Watts	Globe	Code
C-2	60	6″ x 3¼″	VABOX
C-2-X	100	7″ x 3¼″	VALOX
C-22	150	8″ x 1¼″	VAGUE
C-21	200	9½″ x 1¼″	FRANCE

Standard Finish—Unlinished Black.

Complete with cast bronze Vapor Proof Unit and cast iron outlet box, receptacle, clear threaded globe, gaskets and brass guard.

Be sure to specify size of tapping and how box is to be tapped, otherwise box is supplied not tapped.

BRONZE VAPOR PROOF SHOWER UNIT WITH CANOPY AND GUARD

Fixture No.	Watts	Length O.A.	Canopy Diam.	Code
VS-21	60	8¼″	7¼″	DAHLIA
VS-31	150	10¾″	7¼″	DAIS

Standard Finish—Satin Chrome.

Complete with socket, cast bronze vapor proof unit. Opal glass globe guard and canopy.

No. VS-21 & VS-31

No. NVS-21 & 31

MOISTURE PROOF SHOWER UNIT

Fixture No.	Watts	Length O.A.	O.A. Diam.	Code
NVS-21	60-100	7⅛″	5¼″	VAKASS
NVS-31	150-200	9½″	6¼″	VALDIZ

Standard Finish—Polished Chrome.

Complete with socket, strap, screws and thumb knobs for mounting. Opal threaded-type globe.

Nos. 903 and 904

MODERN DESIGN KITCHEN HOLDER

No.	Fitter	Standard Package	Code	Finish
903	1″	18	AMULET	Chrome
904	6″	24	ARLES	Chrome

The above are supplied with strap and screws for mounting to outlet box. Canopy of No. 903 is $6\frac{3}{16}$″ diam. and No. 904 is $8\frac{1}{4}$″ diam.

No. 900

KITCHEN HOLDER

No.	Fitter	Standard Package	Code	Finish
900	1″	18	BASQUE	Chrome
900	1″	18	BAN	White En.
900	1″	18	BARK	Stat. Bronze

Packed in individual cartons. 18 to standard package.

Equipped with strap and screws for mounting, and with eyelet for pull chain socket. Canopy diameter $5\frac{3}{4}$″ and $1\frac{7}{8}$″ depth over all.

No. 961—$2\frac{1}{4}$″

No. 961—$3\frac{1}{4}$″

CEILING HOLDERS

No.	Standard Package	Code	Finishes
961—$2\frac{1}{4}$″	72	FIRTH	S. B.-B. T.-W. E.-Ivy.
961—$3\frac{1}{4}$″	18	FERN	S. B.-B. T.-W. E.-Ivy.
961—1″	18	FURL	S. B.-B. T.-W. E.-Ivy.

Standard finish—Statuary Bronze.

Be sure to specify finish required. Complete with strap and screws for mounting. No. 961—$2\frac{1}{4}$″ is $5\frac{3}{4}$″ diam. x 3″ deep; No. 961—$3\frac{1}{4}$″ is same except 3″ deep and No. 961—1″ is same except $3\frac{3}{8}$″ deep.



No. 901-21 Bracket and No. 963 with Center Rod

No.	Standard Package	Code	Finishes
901-21	120	GONG	B. B. or B. T.
901-21	120	GOLD	W. E. or S. B.

Standard finish—Statuary Bronze.

Packed 10 to carton, 120 to standard package. Complete with $1\frac{5}{8}$″ diameter canopy, center rod with fitting on one end to attach to $\frac{1}{8}$″ hickey and knob on other end to hold canopy securely in place, also No. 963, $2\frac{1}{4}$″ socket cover punched for key socket. Bracket extends 6″.

ADAPT-A-LITE HOLDER



No. 1190 to 1192

No.	Fitter	Standard Package	Code
1190	1″	18	BAT
1191	6″	18	BAST

Standard finishes—Statuary Satin Bronze and Satin Chrome.

Complete with a combination attachment plug and medium base porcelain socket, and 1″ screw type holder.

The Adapt-A-Lite was developed to screw into the existing socket of an open shade type pendant, drop cord, etc., in order that an enclosing type globe may be used without removing the fixture.

No. 966—$2\frac{1}{4}$″ Holder

No.	Standard Package	Code	Finishes
966—$2\frac{1}{4}$″	72	GORE	S. B.-B. T.-W. E.-Ivy.
966—$2\frac{1}{4}$″	72	GOB	Chrome

Standard finish—White Enamel.

Be sure to specify finish required. Complete with strap and screws for mounting, and with eyelet for pull chain. Canopy $1\frac{3}{4}$″ diam. x $3\frac{1}{4}$″ depth over all. Packed four to carton; 72 to standard package.

While the No. 966—$2\frac{1}{4}$″ holder is illustrated as a ceiling unit, same can be used as a bracket for kitchens, bathrooms, etc.

No. 1108 to 1120

No. 5008 to 5018

No. 1108 to 1116

Catalog No.	Diam.	Fitter	Depth	Std. Pkg. Quantity	Std. Pkg. Weight	Code
116	8″	8″	1″	1 doz.	11 lbs.	HIGMA
117	10″	10″	1 1/4″	1 doz.	18 lbs.	HAMIG
118	12″	12″	5″	1/2 doz.	20 lbs.	HILTOP
119	11″	11″	6″	1/2 doz.	12 lbs.	HITAL
1108	8″	1″	7″	1 doz.	18 lbs.	HARBAR
1110	10″	1″	7 3/4″	1 doz.	25 lbs.	KABUL
1112	12″	6″	8 1/2″	1 doz.	10 lbs.	KAABA
1111	11″	6″	10″	2/3 doz.	32 lbs.	KING
1116	16″	6″	11 1/2″	1/6 doz.	13 lbs.	KIM
1108	8″	1″	6″	1 doz.	18 lbs.	MEDINA
1109	9″	1″	6 7/8″	1 doz.	19 lbs.	MIDLY
1110	10″	1″	7 1/8″	2/3 doz.	20 lbs.	MAKOT
1112-A	12″	1″	7 3/4″	1/3 doz.	15 lbs.	MISAL
1112	12″	6″	7 3/4″	1/3 doz.	15 lbs.	MISAL
1111	11″	6″	8 7/8″	1/4 doz.	15 lbs.	MOXIE
1116	16″	6″	9 1/2″	1/6 doz.	15 lbs.	MOOT
1118	18″	8″	12″	1/12 doz.	11 lbs.	MUMO
1120	20″	8″	12 1/2″	1/12 doz.	15 lbs.	MUZA
5008	8″	1″	6″	1 doz.	15 lbs.	JABOT
5009	9″	1″	6″	1 doz.	20 lbs.	JAKOL
5010	10″	1″	6 1/4″	1 doz.	23 lbs.	JINK
5012	12″	6″	6 7/8″	1/2 doz.	20 lbs.	JILT
5011	11″	6″	8 5/8″	1/2 doz.	27 lbs.	JOSKA
5016	16″	6″	10 5/8″	1/6 doz.	11 lbs.	JUSH
5018A	18″	6″	10 1/2″	1/12 doz.	12 lbs.	JELOK
5018	18″	8″	10 1/2″	1/12 doz.	12 lbs.	JEEM
5512	12″	1″	6 1/4″	1/2 doz.	20 lbs.	NINA
5511	11″	6″	8 1/4″	1/2 doz.	25 lbs.	NAZE
5516	16″	6″	8 3/4″	1/6 doz.	13 lbs.	NOON

No. 5512 to 5516

No. 117 10″
No. 118 12″
No. 119 11″

No. 7007
to
No. 7010

Cat. No.	Diam.	Fitter	Height	Std. Pkg.
7007	7″	$2^1/_4$″	$3^1/_4$″	3 doz.
7008	8″	$2^1/_4$″	$3^1/_2$″	2 doz.
7009	9″	$2^1/_4$″	$3^3/_4$″	2 doz.
7010	10″	$2^1/_4$″	$3^3/_4$″	2 doz.

No. 7007-R
to
No. 7012-R

Cat. No.	Diam.	Fitter	Height	Std. Pkg.
7007R	7″	$2^1/_4$″	$5^1/_8$″	12
7008R	8″	$2^1/_4$″	$5^7/_8$″	12
7012R	11″	$3^1/_4$″	$8^1/_4$″	8

No. 50
No. 50S
No. 60
No. 60S

Cat. No.	Diam.	Fitter	Height	Std. Pkg.
50	4″	$2^1/_4$″	4″	3 doz.
50S	4″	$2^1/_4$″	4″	3 doz.
60	6″	$2^1/_4$″	5″	3 doz.
60S	6″	$2^1/_4$″	5″	3 doz.

No. G120

Fixture No.	Fitter	Std. Package
G120	$2^1/_4$″	4 doz.

No. 51
No. 55
No. 56

Cat. No.	Diam.	Fitter	Height	Std. Pkg.
51	6″	$2^1/_4$″	$1^1/_2$″	2 doz.
55	7″	$2^1/_4$″	$1^3/_4$″	3 doz.
56	8″	$2^1/_4$″	$5^3/_8$″	2 doz.

No. 2306
to
No. 3218

Cat. No.	Diam.	Fitter	Height	Std. Pkg.
2306	6″	$3^1/_4$″	6″	3 doz.
2307	7″	$3^1/_4$″	7″	$1^1/_2$ doz.
2308	8″	$3^1/_4$″	8″	1 doz.
2108	8″	4″	8″	1 doz.
2110	10″	4″	10″	1 3 doz.
2508	8″	5″	8″	1 doz.
2510	10″	5″	10″	1 /3 doz.
2512	12″	5″	12″	1 6 doz.
2610	10″	6″	10″	1 /3 doz.
2612	12″	6″	12″	1 /3 doz.
2611	11″	6″	11″	1 3 doz.
2616	16″	6″	16″	1 /12 doz.
2812	12″	8″	12″	1 6 doz.
2811	11″	8″	11″	1 12 doz.
2816	16″	8″	16″	1 12 doz.
3016	16″	10″	16″	1 12 doz.

Clear	Opal	Size
G 10	G 11	$6 \times 3^1/_4$
G 12	G 13	$7 \times 3^1/_4$
G 14	G 15	$8 \times 4^1/_4$
G 16	G 17	$9^1/_2 \times 4^1/_4$

Standard package quantities when ordered will be billed at the prevailing glass factory prices.

INDEX TO CATALOG NUMBERS

Fixture No.	Page No.
SC-1	19
SC-1-X	19
C-2	19
C-2-X	19
SC-3	19
SC-3-X	19
C-3	17
C-3-X	17
CC-8	10
C-10	17
C-10-X	17
SC-11	19
SC-12	19
PE-18	10
C-20	17
GY-20	12
VS-21	19
NVS-21	19
NVS-21-G	19
C-22	19
C-21	19
V-28	18
C-30	17
GY-30	12
DGU-30	11
VS-31	19
NVS-31	19
NVS-31-G	19
C-33	17
SC-33	19
SC-31	19
C-35	17
DGU-50	11
EX-51	13
EX-55	13
EX-56	13
EX-57	13
57-G	18
58-G	18
EX-58	13
EX-59	13
Y-60	17
74	8
GY-75	12
76	8
76-M	8
P.B.-80	10
GY-85	12
GU-89	11
GU-90	11
GU-91	11
GU-92	11
G-108	15
G-110	15
G-112	15
SG-112	15
SG-111	15
V-132	18
V-133	18
V-131	18
V-135	18
V-136	18
V-137	18
110	15
111	15
112	15
113	15
111	15
C-172	10
R-182	10
G-208	15
G-210	15
G-212	15
G-211	15
G-216	15
218	16
RF.-121	2
RF.-125	2
RF.-126	2
161	9
166	9
166-M	9
171	9
176	9
176-M	9
665-A	3
665-B	3
665-C	3
900	20
901-21	20
903	20
901	20
913	16
911	16
915	16
961-B	10
961-2^1_4	20
961-3^1_4	20
961-1	20
961	16
965	16
966-2^1_4	20
967	16
968	16
0608	1
0610	1
0611	1
0612	1
0611	1
0616	1
0616-M	1
1008-B	5
1008-A	5
1008-AM	5
1008-C	5
1020-B	5
1020-A	5
1020-AM	5
1020-C	5
1121	6
1126	6
1126-M	6
1111	16
1116	16
1161	7
1166	7
1166-M	7
1171	7
1176	7
1176-M	7
1181	7
1186	7
1186-M	7
1190	20
1191	20
2121	9
2126	9
2126-M	9
2175	7
2177	7
2177-M	7
1211-A	3
1211-B	3
1211-C	3
1718-A	8
1718-B	8
1718-AM	8
1721-A	8
1721-B	8
1721-AM	8
6608	1
6610	1
6611	1
6612	1
6611	1
6616	1

INDEX TO CATALOG NUMBERS---Continued

Fixture No.	Page No.
6616-M	1
6708	1
6710	1
6711	1
6712	1
6714	1
6716	1
6716-M	1
L-7020	2
L-7020-M	2
L-7021	2
P-7119/5	11
P-7119/6	11
P-7119/8	11
W-7120	13
C-7121	13
PT-7123/5	11
PT-7123/6	11
PT-7123/8	11
P-7700	11
WG-7701	13
W-7705	13
WG-7706	13
W-7708	13
W-7710	13
P-7711	13
P-7714-H	11
P-7722	11

Fixture No.	Page No.
PS-7721	11
PS-7725	11
9101	6
9105	6
9106-M	6
9101-22	5
9106-22	5
9106-M-22	5
9108-C-22	5
9161	6
9166	6
9166-M	6
9271	9
9276	9
9276-M	9

Glass No.	Page No.
2306	22
2307	22
2308	22
2103	22
2110	22
2508	22
2510	22
2512	22
2610	22
2612	22
2611	22
2616	22

Glass No.	Page No.
2812	22
2811	22
3016	22
5008	21
5009	21
5010	21
5012	21
5011	21
5016	21
5018-A	21
5018	21
5512	21
5511	21
5516	21
7007	22
7707-R	22
7008	22
7008-R	22
7009	22
7010	22
7012-R	22
G-10	22
G-11	22
G-12	22
G-13	22
G-14	22
G-15	22
G-16	22

Glass No	Page No.
G-17	22
50	22
50-S	22
51	22
55	22
56	22
60	22
60-S	22
116	21
117	21
118	21
119	21
G-120	21
1108	21
1110	21
1112	21
1111	21
1116	21
1108	21
1109	21
1110	21
1112-A	21
1112	21
1111	21
1116	21
1118	21
1120	21

PRICES—Subject to change without notice. All prices are quoted f. o. b., our factories, unless otherwise stated.

TERMS—Net thirty days, or cash discount as shown on invoice, subject, however, to approval of our credit department.

REFERENCES—Unless your credit standing is known to us or you have a satisfactory rating with the Commercial Agencies, we recommend that you accompany your first order with check, or satisfactory credit references.

CANCELLATIONS OF ORDERS—Will not be accepted unless agreeable to us. But in no case will cancellation be accepted where labor has been performed on the order.

CLAIMS FOR BREAKAGE—We use every care in packing our merchandise, and same is packed and shipped in containers complying with Rule No. 41 consolidated classification No. 5, and our responsibility ceases after receipt in good order by the Transportation Company.

In order to meet changing conditions in lighting requirements we reserve the right to make such changes deemed necessary in the construction of fixtures listed in catalog.

OTHER SPECIAL DESIGNS—In addition to the standard items shown in our catalog, we design and manufacture lighting fixtures for spaces requiring special decorative and lighting treatment, made to the Architect's specifications. Let us have the necessary data and we will submit designs and proposals.

WIRED FIXTURES—All fixtures are priced with wire and sockets. To facilitate handling, rod Stems and Chain are packed separately from holders.

REFER TO PRICE CORRECTION SHEET

Fixture Number	Page Number	Standard Finish	List Price Standard Finish	List Price Polished Statuary Bronze	List Price Polished or Satin Chrome
SC-1	19	Porc. Enamel	$14.70		
SC-1-X	19	Porc. Enamel	15.75		
C-2	19	Black	12.78		
C2-X	19	Black	13.83		
SC-3	19	Porc. Enamel	15.54		
SC-3-X	19	Porc. Enamel	16.53		
C-3	17	Black	9.12		
C-3-X	17	Black	10.02		
CC-8	10	Satin Stat. Brz.	2.16	$2.61	$2.91
C-10	17	Black	8.19		
C-10-X	17	Black	9.18		
SC-11	19	Porc. Enamel	18.75		
SC-12	19	Porc. Enamel	22.85		
PE-18	10	Black	3.30		
C-20	17	Black	11.34		
GY-20	12	Satin Stat. Brz.	33.00		
VS-21	19	Satin Chrome	10.83		
NVS-21	19	Polish Chrome	4.50		
NVS-21-G	19	Polish Chrome	6.00		
C-22	19	Black	16.02		
C-21	19	Black	18.75		
V-28	18	Polish Chrome	9.00		
C-30	17	Black	16.95		
GY-30	12	Satin Stat. Brz.	36.00		
DGU-30	11	Battleship Grey	27.45		
VS-31	19	Satin Chrome	14.52		
NVS-31	19	Polish Chrome	5.79		
NVS-31-G	19	Polish Chrome	8.91		
C-33	17	Black	12.18		
SC-33	19	Porc. Enamel	19.14		
SC-31	19	Porc. Enamel	23.25		
C-35	17	Black	17.82		
DGU-50	11	Battleship Grey	37.50		
EX-51	13	Satin Stat. Brz.	19.80		
EX-55	13	Satin Stat. Brz.	21.00		
EX-56	13	Satin Stat. Brz.	23.49		
EX-57	13	Satin Stat. Brz.	17.46		
57-G	18	Black	11.01		
58-G	18	Black	16.23		
EX-58	13	Satin Stat. Brz.	19.92		
EX-59	13	Satin Stat. Brz.	19.92		
V-60	17	Black	36.00		
74	8	Satin Stat. Brz.	2.43	2.58	2.73
GY-75	12	Satin Stat. Brz.	22.75		
76	8	Satin Stat. Brz.	2.49	2.61	2.79
76-M	8	Satin Stat. Brz.	3.24	3.39	3.54
PB-80	10	Satin Stat. Brz.	4.02	4.17	4.77
GY-85	12	Satin Stat. Brz.	30.00		
GU-89	11	Aluminum	22.50		
GU-90	11	Aluminum	36.00		
GU-91	11	Aluminum	10.50		
GU-92	11	Aluminum	16.50		
G-108	15	Satin Stat. Brz.	6.78	7.53	7.53
G-110	15	Satin Stat. Brz.	8.40	9.15	9.15

Fixture Number	Page Number	Standard Finish	List Price Standard Finish	List Price Polished Statuary Bronze	List Price Polished or Satin Chrome
G-112	15	Satin Stat. Brz.	10.68	11.43	11.43
SG-112	15	Satin Stat. Brz.	10.77	11.52	11.52
SG-111	15	Satin Stat. Brz.	14.19	11.94	14.94
V-132	18	Black	12.21		
V-133	18	Black	13.23		
V-131	18	Black	15.39		
V-135	18	Black	12.99		
V-136	18	Black	11.28		
V-137	18	Black	16.38		
110	15	Satin Stat. Brz.	3.30		1.20
111	15	Satin Stat. Brz.	5.10		6.00
112	15	Satin Stat. Brz.	6.90		7.80
143	15	Satin Stat. Brz.	8.70		9.90
144	15	Satin Stat. Brz.	13.50		15.00
G-172	10	Satin Stat. Brz.	3.81	4.29	4.74
R-182	10	Satin Stat. Brz.	5.13	5.58	6.03
G-208	15	Satin Stat. Brz.	8.10	8.85	9.60
G-210	15	Satin Stat. Brz.	10.41	11.19	11.91
G-212	15	Satin Stat. Brz.	13.32	14.07	14.82
G-211	15	Satin Stat. Brz.	17.28	18.03	18.78
G-216	15	Satin Stat. Brz.	24.30	25.05	25.80
218	16	Ivory or Browntone	.15		
RF-124	2	Satin Aluminum	11.25		
RF-125	2	Satin Aluminum	16.50		
RF-126	2	Satin Aluminum	21.75		
161	9	Satin Stat. Brz.	2.10	2.55	2.85
166	9	Satin Stat. Brz.	2.25	2.70	3.00
166M	9	Satin Stat. Brz.	2.85	3.30	3.60
171	9	Satin Stat. Brz.	1.20	1.50	1.71
176	9	Satin Stat. Brz.	1.32	1.62	1.86
176-M	9	Satin Stat. Brz.	2.25	2.55	2.76
665-A	3	Satin Chrome		15.75	15.75
665-B	3	Satin Chrome		19.50	19.50
665-C	3	Satin Chrome		13.50	13.50
900	20	White Enamel	.45	.57	.75
901-21	20	BB BT WE Stat. Brz.	.81		
903	20	Chrome			.96
901	20	Chrome			1.65
913	16	Satin Stat. Brz. Browntone	.36		
914	16	SB BT WE	.27		
915	16	SB or BT	.39		
961-B	10	Satin Stat. Brz.	1.41		
961-2¼	20	SB BT WE	.39		
961-3¼	20	SB BT WE	.42		
961-1	20	SB BT WE	.42		
961	16	SB BT WE	.18		
965	16	Satin Stat. Brz.	.60		.93
966-2¼	20	White Enamel	.39		.60
967	16	BT WE Ivory	.18		
968	16	BT WE Ivory	.18		
0608	1	Satin Stat. Brz.	2.25	2.55	3.00
0610	1	Satin Stat. Brz.	2.76	3.06	3.51
0611	1	Satin Stat. Brz.	3.60	3.90	4.35
0612	1	Satin Stat. Brz.	3.81	4.11	4.56

REFER TO PRICE CORRECTION SHEET MANY ITEMS HAVE BEEN REDUCED AND SOME INCREASED

Fixture Number	Page Number	Standard Finish	List Price Standard Finish	List Price Polished Statuary Bronze	List Price Polished or Satin Chrome
0614	4	Satin Stat. Brz.	4.47	4.77	5.22
0616	4	Satin Stat. Brz.	5.34	5.64	6.09
0616M	4	Satin Stat. Brz.	6.42	6.72	7.17
1008-B	5	Satin Stat. Brz.	2.79	3.09	3.54
1008-A	5	Satin Stat. Brz.	2.85	3.15	3.60
1008-AM	5	Satin Stat. Brz.	3.30	3.60	4.05
1008-C	5	Satin Stat. Brz.	4.86	5.16	5.51
1020-B	5	Satin Stat. Brz.	4.38	4.68	5.13
1020-A	5	Satin Stat. Brz.	4.44	4.74	5.19
1020-AM	5	Satin Stat. Brz.	5.04	5.34	5.79
1020-C	5	Satin Stat. Brz.	6.00	6.30	6.75
1124	6	Satin Stat. Brz.	3.60	3.90	4.35
1126	6	Satin Stat. Brz.	3.75	4.05	4.50
1126-M	6	Satin Stat. Brz.	4.35	4.65	5.10
1144	16	Satin Stat. Brz.	1.14	----	----
1146	16	Satin Stat. Brz.	1.20	----	----
1164	7	Satin Stat. Brz.	1.59	----	----
1166	7	Satin Stat. Brz.	1.74	----	2.39
1166-M	7	Satin Stat. Brz.	2.34	----	3.09
1174	7	Satin Stat. Brz.	.90	----	1.41
1176	7	Satin Stat. Brz.	.99	----	1.50
1176-M	7	Satin Stat. Brz.	1.89	----	2.40
1184	7	Satin Stat. Brz.	1.35	----	2.10
1186	7	Satin Stat. Brz.	1.50	----	2.25
1186-M	7	Satin Stat. Brz.	2.10	----	2.85
1190	20	Chrome	----	.78	.78
1191	20	Chrome	----	1.23	1.23
2124	9	Satin Stat. Brz.	3.60	----	4.35
2126	9	Satin Stat. Brz.	3.75	----	4.50
2126-M	9	Satin Stat. Brz.	4.35	----	5.10
2175	7	Satin Stat. Brz.	3.15	----	3.90
2177	7	Satin Stat. Brz.	3.30	----	4.05
2177-M	7	Satin Stat. Brz.	3.90	--	4.65
4244-A	3	Ivory	38.25	--	
4244-B	3	Ivory	47.25	---	----
4244-C	3	Ivory	63.00	----	--
4718-A	8	Satin Stat. Brz.	2.85	3.15	3.60
4718-B	8	Satin Stat. Brz.	2.79	3.09	3.54
4718-AM	8	Satin Stat. Brz.	3.75	4.05	4.50
4721-A	8	Satin Stat. Brz.	4.05	4.35	4.80
4721-B	8	Satin Stat. Brz.	4.05	4.35	4.80
4721-AM	8	Satin Stat. Brz.	5.01	5.31	5.76
6608	4	Satin Stat. Brz.	3.33	3.63	4.08
6610	4	Satin Stat. Brz.	3.84	4.14	4.59
6611	4	Satin Stat. Brz.	4.68	4.98	5.43
6612	4	Satin Stat. Brz.	4.89	5.19	5.64
6614	4	Satin Stat. Brz.	5.55	5.85	6.30
6616	4	Satin Stat. Brz.	6.42	6.72	7.17
6616-M	4	Satin Stat. Brz.	7.02	7.32	7.77
6708	4	Satin Stat. Brz.	4.65	4.95	5.40
6710	4	Satin Stat. Brz.	5.40	5.70	6.15
6711	4	Satin Stat. Brz.	5.40	5.70	6.15
6712	4	Satin Stat. Brz.	6.57	6.87	7.32
6714	4	Satin Stat. Brz.	7.38	7.68	8.13

Fixture Number	Page Number	Standard Finish	List Price Standard Finish	List Price Polished Statuary Bronze	List Price Polished or Satin Chrome
6716	4	Satin Stat. Brz.	9.00	9.30	9.75
6716-M	4	Satin Stat. Brz.	9.60	9.90	10.35
L-7020	2	Satin Aluminum	15.70	--	--
L-7020-M	2	Satin Aluminum	18.00	--	--
L-7021	2	Satin Aluminum	28.20	----	----
P-7119/5	14	Satin Stat. Brz.	8.49	----	----
P-7119/6	14	Satin Stat. Brz.	10.26	----	--
P-7119/8	14	Satin Stat. Brz.	11.46	--	--
W-7120	13	Satin Stat. Brz.	5.10	--	---
C-7121	13	Satin Stat. Brz.	5.10	--	----
PT-7123/5	14	Satin Stat. Brz.	14.99	----	---
PT-7123/6	14	Satin Stat. Brz.	17.79	----	--
PT-7123/8	14	Satin Stat. Brz.	22.20	----	----
P-7700	14	Satin Stat. Brz.	11.40	----	--
WG-7704	13	Satin Stat. Brz.	5.25	----	----
W-7705	13	Satin Stat. Brz.	4.05	----	----
WG-7706	13	Satin Stat. Brz.	4.95	----	----
W-7708	13	Satin Stat. Brz.	3.75	----	---
W-7710	13	Satin Stat. Brz.	16.38	----	----
P-7711	13	Satin Stat. Brz.	10.80	----	--
P-7714-11	14	Satin Stat. Brz.	15.15	--	
P-7722	14	Satin Stat. Brz.	10.86	--	---
PS-7724	14	Satin Stat. Brz.	25.50	--	--
PS-7725	14	Satin Stat. Brz.	33.00	--	--
9104	6	Satin Stat. Brz.	1.35	----	2.10
9106	6	Satin Stat. Brz.	1.50	----	2.25
9106-M	6	Satin Stat. Brz.	2.40	----	3.15
9104-22	5	Satin Stat. Brz.	1.89	2.19	2.54
9106-22	5	Satin Stat. Brz.	1.95	2.25	2.70
9106-M-22	5	Satin Stat. Brz.	2.70	3.00	3.45
9108-C-22	5	Satin Stat. Brz.	3.60	3.90	4.35
9164	6	Satin Stat. Brz.	2.10	2.40	2.85
9166	6	Satin Stat. Brz.	2.25	2.55	3.00
9166-M	6	Satin Stat. Brz.	2.85	3.15	3.60
9274	9	Satin Stat. Brz.	1.80	----	2.55
9276	9	Satin Stat. Brz.	1.95	----	2.70
9276-M	9	Satin Stat. Brz.	2.55	----	3.30

GLASSWARE

Glass Number	Page Number	Type of Glass	List Price Standard Package
G-10	22	Clear	$1.02
G-11	22	Opal	1.95
G-12	22	Clear	1.32
G-13	22	Opal	2.28
G-14	22	Clear	1.50
G-15	22	Opal	3.90

Glass Number	Page Number	Type of Glass	List Price Standard Package
G-16	22	Clear	2.07
G-17	22	Opal	5.04
50	22	Opal	.57
50-S	22	Opal	.75
51	22	Opal	.54
55	22	Opal	.60
56	22	Opal	.87
60	22	Opal	.60
60-S	22	Opal	.78
116	21	Opal	1.20
117	21	Opal	1.80
118	21	Opal	2.85
119	21	Opal	3.60
G-120	21	Opal	.75
1108	21	Opal	.90
1110	21	Opal	1.65
1112	21	Opal	2.82
1114	21	Opal	3.63
1116	21	Opal	5.25
1408	21	Opal	.90
1409	21	Opal	1.05
1410	21	Opal	1.65
1412-A	21	Opal	2.82
1412	21	Opal	2.82
1414	21	Opal	3.63
1416	21	Opal	5.25
1418	21	Opal	8.25
1420	21	Opal	14.85
2306	22	Opal	.75
2307	22	Opal	.81
2308	22	Opal	.99
2408	22	Opal	.99
2410	22	Opal	1.65
2508	22	Opal	.99
2510	22	Opal	1.65
2512	22	Opal	2.70
2610	22	Opal	1.65
2612	22	Opal	2.70
2614	22	Opal	3.75
2616	22	Opal	4.95
2812	22	Opal	2.70
2814	22	Opal	3.75
3016	22	Opal	4.95
5008	21	Opal	.78
5009	21	Opal	.90
5010	21	Opal	$1.41
5012	21	Opal	2.22
5014	21	Opal	3.00
5016	21	Opal	3.93
5018-A	21	Opal	6.30
5018	21	Opal	6.30
5512	21	Opal	2.82
5514	21	Opal	3.63
5516	21	Opal	5.25

Glass Number	Page Number	Type of Glass	List Price Standard Package
7007	22	Opal	.90
7007-R	22	Opal	1.38
7008	22	Opal	1.20
7008-R	22	Opal	1.86
7009	22	Opal	1.35
7010	22	Opal	1.80
7012-R	22	Opal	3.60

CORRECTIONS AND PRICE CHANGE SHEET

Number	Satin Stat.	Satin Brz.	Polished Stat.	Polished Brz.	Chrome
74					$2.94 List
76					3.00 "
76-M					3.75 "
140	$3.15 List				3.30 "
141	4.95 "				5.10 "
142	6.75 "				6.90 "
143	8.55 "				8.70 "
144	13.35 "				13.50 "
G-208	5.85 "		$6.60 List		7.35 "
G-210	8.10 "		8.85 "		9.60 "
G-212	10.35 "		11.10 "		11.85 "
G-214	11.85 "		12.60 "		13.35 "
G-216	18.45 "		19.20 "		19.95 "
474					1.56 "
476					1.68 "
476-M	2.10 "				2.46 "
961-2¼"					.90 "
961-B					1.92 "
961-3¼"					.96 "
961-4"					.99 "
0608					2.61 "
0610					3.12 "
0611					3.96 "
0612					4.17 "
0614					4.83 "
0616					5.70 "
0616-M					6.78 "
1008-C					5.61 "
1020-B					5.28 "
1020-A					5.34 "
1020-AM					5.94 "
1020-C					6.90 "
1124					4.50 "
1126					4.65 "

Number	Satin Stat.	Satin Brz.	Chrome
1126-M			$5.25 List
1164			2.34 "
1166			2.49 "
1166-M			3.09 "
1176-M	$1.74 List		2.10 "
2124	3.45 "		4.35 "
2126	3.60 "		4.50 "
2126-M	4.05 "		4.95 "
2175			4.05 "
2177			4.20 "
2177-M			4.80 "
9104	1.65 "		2.01 "
9106	1.80 "		2.16 "
9106-M	2.55 "		2.91 "
9104-22			2.25 "
9106-22			2.31 "
9106-M-22			3.06 "
9108-C-22			3.96 "
P-7119/5	4.20 "		
P-7119/6	5.10 "		
P-7119/8	6.75 "		
P-7711	6.75 "		
9274	2.10 "		2.85 "
9276	2.25 "		3.00 "
9276-M	2.85 "		3.60 "
4721-A			4.95 "
4721-B			4.95 "
4721-AM			5.91 "
6708			5.55 "
6710			6.30 "
6711			6.30 "
6712			7.47 "
6714			8.28 "
6716			9.90 "
6716-M			10.50 "

All rod pendants are 24" O.A., chain pendants 36" O. A. and so priced basically.
Chain including wire—Statuary Bronze $0.21 per foot or fraction thereof List
Chain including wire—Chrome Plated .30 per foot or fraction thereof "
Rod including wire —Statuary Bronze .54 per foot or fraction thereof "
Rod including wire —Chrome Plated .72 per foot or fraction thereof "

Page No. 4—Standard Length of rod pendant should read 24" O.A., without globe.

Page No. 7—Numbers 1164 to 1174-M should read No's. 1164 to 1166-M.

Page No. 8—Number 4721-A should read 6" fitter instead of 4".
Number 4721-AM should read mogul socket instead of medium.
Number 4721-B should read 4" fitter with medium socket, instead of mogul, however, items are priced correctly.
Standard Length of Rod Pendant should read 24" O.A., instead of 30".

Page No. 13—Number W-7711 should read No. P-7711.

Page No. 14—Number PT-7119/5, and
Number P-7719 should read P-7119/5.

Page No. 16—Numbers 964, 965, 967 and 218 are priced Bare.
Number 1144 price should read $0.42 List Bare, and
Number 1166 price should read $0.54 List Bare.

AVERY LIBRARY
COLUMBIA UNIVERSITY